

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	24042	(dis\$1 adj drive) and (shock or isolation or damping or vibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 20:05
L10	5450	L9 and (dis\$1 adj drive) with (shock or isolation or damping or vibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 20:05
L11	106274	(248/\$6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/27 20:05
L12	40252	(411/\$6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/27 20:05
L13	111370	(361/\$6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/27 20:05
L14	254964	L11 or L12 or L13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 20:05
L15	353	L14 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 20:05
L16	127	L15 and (cage or housing or chassis) same slot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 20:05

L17	50	(US-20020051338-\$ or US-20030011974-\$ or US-20030184964-\$ or US-20030206397-\$ or US-20040084601-\$ or US-20040085718-\$ or US-20040179920-\$ or US-20050214098-\$ or US-20050094367-\$).did. or (US-1855769-\$ or US-2115653-\$ or US-2439937-\$ or US-2751147-\$ or US-2951674-\$ or US-3115225-\$ or US-3319918-\$ or US-4306708-\$ or US-4522378-\$ or US-4683520-\$ or US-4812932-\$ or US-4975008-\$ or US-4984971-\$ or US-5035396-\$ or US-5131619-\$ or US-5193960-\$ or US-5255647-\$ or US-5316423-\$ or US-5366200-\$ or US-5397206-\$ or US-5489177-\$ or US-5654875-\$ or US-6011336-\$ or US-6059503-\$ or US-6097608-\$ or US-6116565-\$).did. or (US-6122173-\$ or US-6227784-\$ or US-6320744-\$ or US-6378832-\$ or US-6388873-\$ or US-6418011-\$ or US-6498722-\$ or US-6499714-\$ or US-6511038-\$ or US-6525933-\$ or US-6692226-\$ or US-6719482-\$ or US-6822858-\$ or US-6917520-\$).did. or (US-2951674-\$).did.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/27 20:11
L18	6	("20040075978" "5142447" "6299266" "6373694" "6813148" "6853549").PN.	US-PGPUB; USPAT	OR	ON	2005/10/27 20:14
S1	2037	(resilient or isolation) with (screw or fastener or connector) same (drive or computer or media)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:17
S2	0	franke.in. and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 18:04
S3	4282	franke.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 18:04
S4	3081	(resilient or isolation) with (screw or fastener or mount or connector) same (drive or computer or media)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 11:48
S5	0	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 18:05

S6	1	hewlett near4 packard.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 18:05
S7	48612	hewlett near4 packard.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 18:06
S8	26	S4 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 18:06
S9	194	(resilient or isolation) with (screw or fastener or mount or connector) same (drive or computer or media) same slot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 21:30
S10	466	resilient with (screw or fastener or mount or connector) same isolat\$4 with vibration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 21:36
S11	1	S10 and wilson.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 21:31
S12	39	("0128602" "1096846" "2339549" "2459658" "2915152" "3362276" "3695386" "4027644" "4206931" "4306708" "4345552" "4471731" "4495903" "4906154" "4975008" "5193960" "5255647" "5323740" "5393183" "5397206" "5433568" "5489177" "5513603" "5584628" "5662444" "5688091" "5871319" "6030161" "6059503").PN. OR ("6227784").URPN:	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/19 21:31
S13	10	(US-6525933-\$ or US-6227784-\$ or US-6059503-\$ or US-5397206-\$ or US-5255647-\$ or US-5193960-\$ or US-4975008-\$ or US-4306708-\$ or US-6320744-\$ or US-6116565-\$). did.	USPAT	OR	ON	2005/07/19 22:24
S14	0	411/400,401	USPAT	OR	ON	2005/07/19 22:25
S15	424	(411/400,401).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/17 19:32
S16	72	(312/249.11).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/17 19:32

S17	1508	(248/500,71,224.8,223.41).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/27 14:23
S18	1149	(248/500,71,224.8).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/20 12:35
S19	1044	storage adj media adj drive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 12:48
S20	532	S19 and (fastener or support or guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 12:48
S21	468	S19 and (fastener or support)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 12:49
S22	17	S19 with (fastener or support)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 12:50
S23	26	S19 with housing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 12:50
S24	14	("4964017" "5557499" "5588728" "5761033" "5956227" "6052278" "6061244" "6084768" "6088221" "6166901" "RE35915").PN. OR ("6525933"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 19:30
S25	1164	(248/500,71,224.8).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/17 19:31
S26	72	(312/249.11).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/17 21:06
S27	425	(411/400,401).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/17 19:32
S28	1654	S25 or S26 or S27	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/17 19:32

S29	12	S28 and (resilient or elastomer\$3 or rubber) same (fasten\$4 or grommet or mount) same (dampen\$4 or vibrat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/17 19:38
S30	11376	(resilient or elastomer\$3 or rubber) same (fasten\$4 or grommet or mount or guide) same (dampen\$4 or vibrat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/17 19:38
S31	6448	(resilient or elastomer\$3 or rubber) with (fasten\$4 or grommet or mount or guide) with (dampen\$4 or vibrat\$4 or isolat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/17 19:38
S32	40233	(411/\$6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/17 19:38
S33	106187	(248/\$6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/17 19:39
S34	564	(S32 or S33) and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/17 19:44
S35	140	S34 and (slot or slotted)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/17 19:44
S36	30	("2951674" "3093027" "3115225" "3238835" "3319918" "4286642" "4375342" "4405272" "4457050" "4522378" "4557653" "4568243" "4610587" "4726722" "4784550" "4807718" "D268006" "D293880").PN. OR ("5316423"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 19:57
S37	12	("2439937" "2664257" "2965372").PN. OR ("3582027"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 20:07

S38	26	(US-20050214098-\$ or US-20040179920-\$ or US-20040084601-\$ or US-20020051338-\$).did. or (US-4306708-\$ or US-4975008-\$ or US-5193960-\$ or US-5255647-\$ or US-5397206-\$ or US-6059503-\$ or US-6116565-\$ or US-6227784-\$ or US-6320744-\$ or US-6525933-\$ or US-6499714-\$ or US-6498722-\$ or US-6097608-\$ or US-5654875-\$ or US-5316423-\$ or US-6692226-\$ or US-4522378-\$ or US-3319918-\$ or US-3115225-\$ or US-2951674-\$ or US-2439937-\$).did. or (US-2951674-\$).did.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 20:08
S39	24	("4260208" "4683520" "4713714" "5004207" "5333098" "5337998" "5349486" "5402308" "5463527" "5469311" "5491608" "5535092" "5548480").PN. OR ("5654875").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 20:17
S40	50	("1855769" "2115653" "2208532" "2520757" "3138358" "3301121" "3687404").PN. OR ("4306708").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 20:23
S41	32	(US-20050214098-\$ or US-20040179920-\$ or US-20040084601-\$ or US-20020051338-\$).did. or (US-4306708-\$ or US-4975008-\$ or US-5193960-\$ or US-5255647-\$ or US-5397206-\$ or US-6059503-\$ or US-6116565-\$ or US-6227784-\$ or US-6320744-\$ or US-6525933-\$ or US-6499714-\$ or US-6498722-\$ or US-6097608-\$ or US-5654875-\$ or US-5316423-\$ or US-6692226-\$ or US-4522378-\$ or US-3319918-\$ or US-3115225-\$ or US-2951674-\$ or US-2439937-\$ or US-4683520-\$ or US-6719482-\$ or US-5489177-\$ or US-4984971-\$ or US-2115653-\$).did. or (US-1855769-\$).did. or (US-2951674-\$).did.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 20:30
S42	116	(resilient or isolation) with (screw or fastener or mount or connector) same (drive or computer or media) with slot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/17 20:38
S43	113	S42 not S35	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/17 20:38

S44	35	(312/334.14).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/17 21:06
S45	32	(US-20020051338-\$ or US-20040084601-\$ or US-20040179920-\$ or US-20050214098-\$).did. or (US-1855769-\$ or US-2115653-\$ or US-2439937-\$ or US-2951674-\$ or US-3115225-\$ or US-3319918-\$ or US-4306708-\$ or US-4522378-\$ or US-4683520-\$ or US-4975008-\$ or US-4984971-\$ or US-5193960-\$ or US-5255647-\$ or US-5316423-\$ or US-5397206-\$ or US-5489177-\$ or US-5654875-\$ or US-6059503-\$ or US-6097608-\$ or US-6116565-\$ or US-6227784-\$ or US-6320744-\$ or US-6498722-\$ or US-6499714-\$ or US-6525933-\$ or US-6692226-\$). did. or (US-6719482-\$).did. or (US-2951674-\$).did.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 20:51
S46	0	("1and(thermoplasticorPTFEorpolyet hyleneorpvcopolystyrene)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/18 20:52
S47	6	S45 and (thermoplastic or PTFE or polyethylene or pvc or polystyrene)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/18 20:53
S48	36	("1876640" "1921028" "2289514" "2751147" "3066367" "3822050").PN. OR ("4683520"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 21:21
S49	224	(411/393).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/19 15:16
S50	1	method with love and jester	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/19 17:30
S51	1	10/698961	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/19 18:46
S52	1	10/985658	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/19 18:46

S53	1568	slid\$4 with (housing or chassis) same (magnetic or disc or optical or computer) near3 drive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 11:48
S54	3146	(resilient or isolation) with (screw or fastener or mount or connector) same (drive or computer or media)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 11:49
S55	34	S53 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 11:49
S56	15	("2314464" "4117997" "4157802" "4520987" "4819153").PN. OR ("5035396").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 16:06
S57	9	("4812932" "5029026" "5035396" "5124855" "5131619" "5668791" "6130817" "6233140" "6249504").PN. OR ("6917520").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 14:02
S58	4356	(361/685,684,683).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:09
S59	26	S58 and (resilient or isolation) same vibration same (slid\$4 or glid\$4 or roll\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 16:48
S60	4356	(361/685,684,683).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/26 16:49
S61	70	S60 and (resilient or isolation or vibration) same (slid\$4 or glid\$4 or roll\$4) same (slot\$3 or track)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 16:49
S62	22	("5513068" "5748442" "5754396").PN. OR ("6122173").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 17:00

S63	48	(US-20020051338-\$ or US-20040084601-\$ or US-20040179920-\$ or US-20050214098-\$ or US-20030206397-\$ or US-20030011974-\$ or US-20040085718-\$ or US-20030184964-\$).did. or (US-1855769-\$ or US-2115653-\$ or US-2439937-\$ or US-2751147-\$ or US-2951674-\$ or US-3115225-\$ or US-3319918-\$ or US-4306708-\$ or US-4522378-\$ or US-4683520-\$ or US-4975008-\$ or US-4984971-\$ or US-5193960-\$ or US-5255647-\$ or US-5316423-\$ or US-5397206-\$ or US-5489177-\$ or US-5654875-\$ or US-6059503-\$ or US-6097608-\$ or US-6116565-\$ or US-6227784-\$ or US-6320744-\$ or US-6378832-\$ or US-6498722-\$ or US-6499714-\$). did. or (US-6525933-\$ or US-6692226-\$ or US-6719482-\$ or US-6822858-\$ or US-6388873-\$ or US-5035396-\$ or US-6917520-\$ or US-6511038-\$ or US-5366200-\$ or US-5131619-\$ or US-4812932-\$ or US-6122173-\$ or US-6418011-\$). did. or (US-2951674-\$).did.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 18:02
S64	141	dampen same vibration same washer same (resilient or elastomer\$3 or rubber) near5 (bushing or support or grommet or member or spacer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/26 18:03
S65	46	(fastener or support) and head and shaft and washer and thread\$5 and resilient near5 isolat\$4 and slot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/26 18:04
S66	24042	(dis\$1 adj drive) and (shock or isolation or damping or vibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:17
S67	5450	S66 and (dis\$1 adj drive) with (shock or isolation or damping or vibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:17
S68	50	S66 and (dis\$1 adj drive) with (shock or isolation or damping or vibration) same (cage or housing or chassis) same slot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:24

S70	106274	(248/\$6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/27 14:23
S71	40252	(411/\$6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/27 14:23
S72	111370	(361/\$6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/27 14:23
S73	254964	S70 or S71 or S72	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:23
S74	353	S73 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:23
S75	127	S74 and (cage or housing or chassis) same slot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 20:05